

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	332	(plurality with records) and (document with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:37
S2	44	S1 and (hash with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:37
S3	39	S2 and (document with (content or element or part))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:44
S4	25	S3 and (field with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:46
S5	2	S4 not (ginter.inv.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:44
S6	14	S3 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:34
S7	706	(document with identifier\$1) same field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:34
S8	230	S7 and (list same (document with (content or element or part or segment or portion)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:39

S9	0	S8 and (hash with function) same list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:36
S10	0	S8 and ((hash with function) same list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:36
S11	0	S8 and ((hash with function) same (document with (content or element or part or segment or portion)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:37
S12	9	S8 and ((hash with function) same (content or element or part or segment or portion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:39
S13	221	S8 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:39
S14	99	S13 and (identifier with record\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:39
S15	92	S14 and (field with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:40
S16	68	S15 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:41

S17	42	S16 and "document identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:41
S18	708	(document with identifier\$1) same field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:27
S19	230	S18 and (list same (document with (content or element or part or segment or portion)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:40
S20	122	S19 and (extract\$3 with document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:40
S21	87	S20 and (classif\$3 or categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:40
S22	31	S21 and (hash with (function or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:41
S23	60	S21 and (number with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:41
S24	8	S22 not (ginter.inv.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:48

S26	33	S23 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:48
S28	688	(document with identifier\$1) and (extract\$3 with document) same (element or word or part)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:03
S29	187	S28 and ((classif\$6 or categor\$6 or cluster\$3) with (word or element or part))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:30
S30	119	S29 and (list with (word or part or element) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:30
S31	16	S30 and (hash with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:44
S32	103	S30 not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:44
S33	36	S32 and (extract with (word or element or part) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:45
S34	1032	("document identifier") and ((extract\$3 with element or word or part) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:05

S35	85	database with record same "document identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:06
S36	23	S35 and (record with (word or term or element or part) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:31
S37	8	(hash with function) and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:30
S39	112	(hash with function) and (record with (word or term or element or part) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:31
S40	10	S39 and (record with "document identifier")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:31

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((("5745900") or ("6119124") or ("6240409") or ("6263348") or ("6505160")).PN.	USPAT; USOCR	OR	OFF	2006/01/13 16:11
L2	147	((close\$2 or near\$2) with duplicat\$3) same document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:13
L3	7588	((close\$2 or near\$2) with duplicat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:30
L4	7588	2 or 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:13
L5	193	4 and (filter\$3 with result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:14
L6	8	5 and (compar\$3 with cluster)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:18
L7	15	(compar\$3 with "cluster identifier")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:18
L8	1	((close\$2 or near\$2) with duplicat\$3) and "cluster identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:31

L9	46	duplicat\$3 and "cluster identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:31
L10	3	9 and ((remov\$3 or delet\$3) with duplicate\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:32
L11	43	9 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:43
L12	1	("6119124").PN.	USPAT; USOCR	OR	OFF	2006/01/13 16:43
L13	1	12 and cluster	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:46
L14	0	12 and cluster same identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:47
L15	0	12 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 17:04
L16	48	document with ((near\$2 or close) with duplicate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 17:04
L17	10	16 and fingerprint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 17:05